




# Stainless Steel Window Screening

**Stainless steel window screening** is also called stainless steel window screen or stainless steel insect screen, which is extensively used



today in homes, cottages, buildings...etc.

AGS-Industrial is a major supplier of various kinds of wire meshes and other similar mesh products.

## Materials:

The material of **metal window screening** could be stainless steel wire, low carbon steel wire or aluminum wire. Stainless steel wire is woven into wire mesh. The strength and composition of the

mesh is well suited for use as screen on sliding doors and windows.

## Characteristics:

**Stainless steel window screening** has nice properties, such as good stability, rust-resistance, heat-resistance, acid-resistance and corrosion-resistance ...etc.



With those unique features, **stainless steel window screening** could be applied in high temperature workshops and construction projects.

## Variety of Colors:

The color of **stainless steel window screening** could be white, green, black, etc. which could be ordered according to customers' requirements.

## Applications:

**Stainless steel window screening** is used for protection, on doors and windows to prevent insects from entering.



**Specifications of Stainless Steel Expanded Metal Screen:**


specifications				width (m)	length (m)	weight (kg/m2)
mesh thickness(mm)	distance short(mm)	distance long(mm)	strip(mm)			
0.5	2.5	4.5	0.5	0.5	1	1.8
0.5	10	25	0.5	0.6	2	0.73
0.6	10	25	1	0.6	2	1
0.8	10	25	1	0.6	2	1.25
1	10	25	1.1	0.6	2	1.77
1	15	40	1.5	2	4	1.85
1.2	10	25	1.1	2	4	2.21
1.2	15	40	1.5	2	4	2.3
1.5	15	40	1.5	1.8	4	2.77
1.5	23	60	2.6	2	3.6	2.77
2	18	50	2.1	2	4	3.69
2	22	60	2.6	2	4	3.69
3	40	80	3.8	2	4	5.00
4	50	100	4	2	2	11.15
4.5	50	100	5	2	2.7	11.15
5	50	100	5	1.4	2.6	12.39
6	50	100	6	2	2.5	17.35
8	50	100	8	2	2.1	28.26

## Window Screening

AGS-Industrial can offer Window Screening or window screen in different materials, widely used in hotels and buildings to prevent insects and bugs from entering. Window screen is also known as as insect screen, insect screening or wire netting.

General specifications: 14mesh x 14 mesh, 16mesh x 14mesh, 16mesh x 16mesh, 18mesh x 16mesh, 18mesh x 18mesh, 18mesh x 14mesh, General wire diameter: BWG31 or BWG 32.

Wire Netting Variety: Enameled window screen wire netting, galvanized, stainless steel, aluminum alloy, plastic, fiberglass screen, etc.



### Specifications of Window Screen Netting

Variety	Specification			Technical Notes
	Mesh/Inch	Wire Gauge	Roll Size	
Gal. Iron Wire Netting	10 x 10	BWG31 BWG32 BWG33 BWG34	3"x100"	Process: Electric galvanized after weaving  Color: White or blue white
	14 x 14		4"x100"	
	16 x 16		1x25M	
	18 x 18		1.2x30M	
	18 x 14		1.5x25M	
	22 x 22			
	24 x 24			
Enamelled Iron Wire Netting	Same as above			Green or dark green
Aluminum Coated Iron Wire Netting	Same as above			Silver
Aluminum Wire Netting	Same as above			Material: Al-mg alloy or pure aluminum Painted aluminum wire netting, epoxy resin paint
Fiberglass Wire Netting	12 x 12	BWG31 BWG32	3"x100"	Available in different colors
	14 x 14		4"x100"	
	16 x 16		1x25M	
	16 x 14		1.2x25M	
PVC Wire Netting	12x 12	As above		Twisted weaving: 12,14,16mesh;  Plain weaving: 18, 22, 24mesh;  Colors available: white,blue,green,etc.
	14 x 14			
	16 x 16			
	18 x 18			

	18 x 14			
	20 x 20			
Stainless Steel Wire Netting	14 x 14 SWG38 16 x 16 SWG37 18 x 18 SWG36 18 x 14 SWG35 20 x 20 SWG34		3"x100" 4"x100" 1x25M 1.2x25M	Materials: Stainless steel 304, 316, 316L
PVC Coated Wire Netting	12x 12	BWG31 BWG32	As above	Different colors available. Used in petroleum, pipes wrapping.

AGS-Industrial, Ph: +1-505-550-6501 & +1-505-565-5102, Fx: +1-505-814-5778  
 Email: sales@ags-industrial.com, Website: http://www.ags-industrial.com